



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ANALYTICAL FOOD LABORATORIES, INC.  
860 Greenview Drive  
Grand Prairie, TX 75050  
Tiffany Williams Phone: 972-336-0336

BIOLOGICAL

Valid To: October 31, 2024

Certificate Number: 2088.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements containing the 2018 "AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, and Pharmaceuticals"), accreditation is granted to this laboratory to perform the following tests on commodities, foods, beverages, dietary supplements, personal care products, pet foods, water, and environmental samples:

<u>Test Method</u>	<u>Test Method(s)</u>
Aerobic Plate Count (Petrifilm®)	AOAC 989.10, 990.12
Enterobacteriaceae (Petrifilm®)	AOAC 2003.01
<i>Escherichia coli</i> and Total Coliform (Petrifilm®)	AOAC 989.10, 991.14
Lactic Acid Bacteria (Petrifilm®)	AOAC RI 04171
Rapid Yeast & Mold (Petrifilm®)	AOAC 2014.05
<i>Staphylococcus aureus</i> (Petrifilm®)	AOAC 2003.07, 2003.08, 2003.11
Yeast and Mold (Petrifilm®)	AOAC 997.02
Aerobic Plate Count	FDA BAM Ch 3
Coliforms (Membrane Filtration)	SMEWW 9222 A, B, C
<i>E. coli</i> and Total Coliform (Plate Count)	FDA BAM Ch 4
Heterotrophic (Plate Count)	SMEWW 9215
Lactic Acid Bacteria (Plate Count)	CMMEF Ch 19
Mold Count	USP<61>, USP <2021>

<b><u>Test Method</u></b>	<b><u>Test Method(s)</u></b>
<i>S. aureus</i> (Plate Count)	FDA BAM Ch 12
Total Aerobic (Plate Count)	USP <61>, USP <2021>
Yeast & Mold (Plate Count)	FDA BAM Ch 18
Yeast Count	USP<61>, USP <2021>
Bile Tolerant Gram Negative	USP <62>, USP <2021>
<i>Burkholderia cepacia</i>	USP <60>
<i>E. coli</i> (MPN)	SMEWW 9020B.9, 9221 E and F
<i>E. coli</i> O157:H7 (VIP)	AOAC 996.09
<i>E. coli</i> and Total Coliform (Colilert®)	SMEWW 9223 A, B; AOAC 991.15
<i>E. coli</i> and Total Coliform (MPN)	FDA BAM Ch 4
<i>E. coli</i>	USP <62>, USP <2022>
<i>Pseudomonas aeruginosa</i>	USP <62>
<i>Salmonella</i>	USP <62>, USP <2022>
<i>S. aureus</i>	USP <62>, USP <2022>
Total Coliform (MPN)	SMEWW 9221 A, B, C
<i>E. coli</i> O157:H7 (GDS)	AOAC 2005.04
<i>L. monocytogenes</i> (GDS)	AOAC RI 070702
<i>Listeria</i> spp. (GDS)	AOAC RI 070701
<i>Salmonella</i> (GDS)	AOAC 2009.03
Shiga Toxin Producing <i>E. coli</i> (STEC)	AOAC RI 071301
<i>Campylobacter</i> (MDS)	AOAC-PTM 111803
<i>E. coli</i> O157:H7 (MDS)	AOAC 2017.01
<i>Listeria</i> (MDS)	AOAC 2016.07
<i>Salmonella</i> (MDS)	AOAC 2016.01

<u>Test Method</u>	<u>Test Method(s)</u>
<i>L. monocytogenes</i> (VIDAS)	AOAC 2004.02
<i>Listeria</i> spp. (VIDAS)	AOAC 2004.06, RI 981202, AOAC 2013.10
<i>Salmonella</i> (VIDAS)	AOAC 2004.03, 2011.03, RI 020901
EHEC ID GDS (Cultural Confirmation)	AOAC PT 101901
<i>L. monocytogenes</i> (Cultural Confirmation)	FDA BAM Ch 10
<i>L. monocytogenes</i> (Cultural Confirmation)	USDA MLG 8
<i>Listeria</i> spp. (Cultural Confirmation)	FDA BAM Ch 10 (Modified)
<i>Salmonella</i> (Cultural Confirmation)	FDA BAM Ch 5

**Key:**

AOAC: International Association of Analytical Communities

CMMEF: Compendium of Methods for the Microbiological Examination of Foods

FDA BAM: FDA Bacteriological Analytical Manual

SMEWW: Standard Methods for the Examination of Water and Wastewater

USP: United States Pharmacopeia



## Accredited Laboratory

A2LA has accredited

# ANALYTICAL FOOD LABORATORIES, INC.

Grand Prairie, TX

for technical competence in the field of

## Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 - *Specific Requirements - Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 17<sup>th</sup> day of November 2022.

A blue ink signature of Mr. Trace McInturff.

Mr. Trace McInturff, Vice President, Accreditation Services  
For the Accreditation Council  
Certificate Number 2088.01  
Valid to October 31, 2024

*For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.*